

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	322	hook adj function	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:33
S2	179	S1 and (process or processes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:32
S3	35	S2 and security	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:32
S4	35	S1 and (process or processes).ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:33
S5	44	(hook adj function).ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:41
S6	5	"5802397"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 18:50
S7	1244	hook with security	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 15:40
S8	3	(hook adj function) same security	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 15:57

S9	2193	process adj id	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 16:54
S10	446	S9 and (authorize or authorized)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 15:58
S11	171	S10 and (process or application).ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 19:41
S12	45	S9 and (authorize or authorized or security).ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:19
S21	80	S9 and security.ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 17:24
S22	327	process same (access adj list) <i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:06
S23	0	S22 and S8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:06
S24	7	S22 and S9	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:25

S27	297	"5629980"	<i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:21
S28	2261	process adj id	<i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 17:24
S29	328	hook adj function	<i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:32
S30	11	S28 and S29	<i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 17:56
S31	2	S28 same S29	<i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 17:56
S32	3195918	"6" and process	<i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 18:50
S33	5	"5802397"	<i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 18:51
S34	3195918	"6" and process	<i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 18:51

S35	4	S33 and process		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 18:51
S36	1	S29 and authorize		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 18:55
S37	178	S29 and process		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 18:59
S38	37	S29 same process		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 19:03
S39	268	(713/164).CCLS.		US-PGPUB; USPAT; EPO	OR	OFF	2005/09/26 19:04
S40	0	("20andprocess").PN.		US-PGPUB; USPAT; EPO	OR	OFF	2005/09/26 19:04
S41	233	S39 and process		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 19:05
S42	40	S39 and process.ab.		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 19:05
S43	183	S29 and process		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 19:09

S44	35	S29 and process.ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 19:23
S46	0	("713or726").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2005/09/26 19:23
S47	1	("0000713").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2005/09/26 19:23
S48	21879	("713").CLAS.	US-PGPUB; USPAT; EPO	OR	OFF	2005/09/26 19:23
S49	7037	("726").CLAS.	US-PGPUB; USPAT; EPO	OR	OFF	2005/09/26 19:23
S50	15	S48 and S29	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 19:29
S51	3	S49 and S29	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 19:38
S52	4	"5960190"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 19:29
S53	6	"6363474"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 19:30
S54	2261	process adj ID	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 19:41

S55	71976	(authorize or authorized)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 19:41
S56	22	S54 same S55	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:06
S57	4	"6697806"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:06
S58	4	"6654864"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:08
S59	3	"6643648"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:08
S60	8	"6122631"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:08
S61	0	61-5-27	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:07
S62	50	"6105027"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:13

S63	2578	table with ID with process	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:18
S64	25	S63 same (authorize or authorized)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:20
S65	1	09/816625	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:21
S66	14232	arai.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:21
S67	4834	S66 and process	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:21
S68	351	S67 and ID	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:21
S69	13	S68 and policy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:22
S70	2449	process adj id	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:22

S71	475	S70 same table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:23
S72	50	S71 and hook	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:22
S73	9	S70 same (table) same (authorize or authorized)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:23
S74	9	S70 same (table) same (authorize or authorized or authorizes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:29
S75	745	(Process adj ID) same (table or list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:30
S76	90	S75 and hook	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:30
S77	309	S75 and (security or authenticate or authorize)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:30
S78	309	S75 and (security or authenticate or authorizes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:41

S79	0	S29 and S41	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:31
S80	11	S29 and (process adj ID)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:40
S81	14216	process with security	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:40
S82	254399	process adj ID security	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:40
S83	2261	process adj ID	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:40
S84	37	S75 same (security or authenticate or authorizes or authorize or authorized or authorizing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:46
S85	129	"5235642"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:47
S86	14	"5257381"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:48

S87	0	S86 and (process adj id)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:48	
S88	3768	(authorize or authorizing or authorized).ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:49	
S89	814493	(process).ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:49	
S90	90	S88 and S89	SL	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:50
S91	13852	process near4 ID	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:49	
S92	0	S90 and S91	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:49	
S93	15	S90 and ID	SL	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:51
S94	129957	process with table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:51	

S95	4911	S94 and (authorize or authorizing or authorized or authorizes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:51	
S96	0	726/22	↑ <i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:52
S97	372	(726/22).CCLS.	↑ <i>SL</i>	US-PGPUB; USPAT; EPO	OR	OFF	2005/09/26 20:52
S98	0	("80andprocess").PN.		US-PGPUB; USPAT; EPO	OR	OFF	2005/09/26 20:52
S99	322	S97 and process		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:53
S100	98	S97 and (process same (table or list))		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 20:53
S101	113	S97 and (process same (table or list))		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:53
S102	60	S97 and ((process or processes) with (table or list))	✓	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:56
S103	158143	((process or processes) with (table or list))		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:57

S10 4	7537	((process or processes) with (table or list)) same ID	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:57
S10 5	110	((process or processes) with (table or list)) same ID same (unauthorized authorize authorized authorizing) <i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:58
S10 6	580	compare near16 (process near3 (ID or number))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:59
S10 7	959	(compare compares comparing) near16 (process near3 (ID or number))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:59
S10 8	45	((compare compares comparing) near16 (process near3 (ID or number))) same (authorize authorized unauthorized allow allowed authorizing) <i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:01
S10 9	30	((compare compares comparing) near16 (process near3 (table list)) same (authorize authorized unauthorized allow allowed authorizing)) <i>SL</i>	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:02
S11 0	903	task adj manager	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:03
S11 1	1332	list with (allowed and processes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:03

S11 2	13	list with (compare compares comparing) with (allowed and processes)	↑ /	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:04
S11 3	2	list with (compare compares comparing) with (authorize and processes)	/	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:04
S11 4	14	list with (compare compares comparing) with (authorized and processes)	/	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:05
S11 5	1024	list with (authorized and processes)	/	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:05
S11 6	463	list with (authorized and processes and (id identification))	/	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:12
S11 7	169114	process same ID	/	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:12
S11 8	24274	S117 same (authorize or authorizing or authorized or allow or allowed)	/	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:13
S11 9	8601	(authorize or authorizing or authorized or allow or allowed) adj (process processes)	/	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:14

S12 0	3	(authorize or authorizing or authorized or allow or allowed) adj ((process processes) with (table list))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:13
S12 1	0	table adj allowed adj processes	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:14
S12 2	4	list adj allowed adj processes	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:14
S12 3	2	list adj allowed adj programs	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:15
S12 4	5	list adj allowed adj applications	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:16
S12 5	0	table adj allowed adj applications	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:16
S12 6	0	table adj allowed adj programs	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:16
S12 7	2	table adj authorized adj programs	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:17

S12 8	0	table adj authorized adj applications	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:20
S12 9	33	list adj authorized adj applications	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:21
S13 0	18	list adj authorized adj programs	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:21
S13 1	4	list adj authorized adj processes	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:23
S13 2	0	table adj authorized adj processes	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:23
S13 3	106	table with authorized with processes	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:24
S13 4	2578	process with ID with table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 21:24
S13 5	67	process with ID with table with (authorize authorized authorizing allow allowed unauthorize unauthorized unauthorizing)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:00

S13 6	3251	process adj table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:01
S13 7	11360	process adj2 table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:01
S13 8	3805	S137 and (PID or ID or identification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:02
S13 9	688	S137 same (PID or ID or identification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:02
S14 0	17	S139 and hook	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:06
S14 1	18	security with (task adj manager)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:06